

## Chelsea/Dexter

Is the child a boy or a girl?

| Gender of child |   | Total  | Age   |       |        |         | Household income |                  |        |
|-----------------|---|--------|-------|-------|--------|---------|------------------|------------------|--------|
|                 |   |        | 0 - 1 | 2 - 5 | 6 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| Boy             | n | 39     | 1     | 9     | 12     | 13      | 1                | 6                | 28     |
|                 | % | 43%    | 100%  | 56%   | 32%    | 42%     | 8%               | 36%              | 47%    |
| Girl            | n | 52     | 0     | 7     | 26     | 18      | 9                | 11               | 32     |
|                 | % | 57%    | 0%    | 44%   | 68%    | 58%     | 92%              | 64%              | 53%    |
| Total           | n | 91     | 1     | 16    | 37     | 32      | 9                | 17               | 60     |
|                 | % | 100%   | 100%  | 100%  | 100%   | 100%    | 100%             | 100%             | 100%   |
| p-value:        |   | 0.3303 | N/A   |       |        |         | 0.2045           |                  |        |

Invalid and total responses:

|           |   |      |      |      |      |      |      |      |      |
|-----------|---|------|------|------|------|------|------|------|------|
| (REFUSED) | n | 3    | 0    | 0    | 0    | 0    | 0    | 0    | 2    |
|           | % | 4%   | 0%   | 0%   | 0%   | 0%   | 0%   | 2%   | 3%   |
| Total     | n | 94   | 1    | 16   | 37   | 32   | 9    | 18   | 62   |
|           | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
|           | N | 94   | 2    | 8    | 27   | 44   | 6    | 12   | 68   |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

| Age of child |   | Age of child |      |      |                  |                  |        |
|--------------|---|--------------|------|------|------------------|------------------|--------|
|              |   | Total        | Sex  |      | Household income |                  |        |
|              |   |              | Boy  | Girl | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| 0 - 1        | n | 1            | 1    | 0    | 0                | 0                | 1      |
|              | % | 1%           | 3%   | 0%   | 0%               | 0%               | 2%     |
| 2 - 5        | n | 16           | 9    | 7    | 5                | 0                | 10     |
|              | % | 19%          | 26%  | 14%  | 56%              | 2%               | 17%    |
| 6 - 11       | n | 37           | 12   | 26   | 1                | 6                | 30     |
|              | % | 43%          | 34%  | 50%  | 15%              | 33%              | 51%    |
| 12 - 17      | n | 32           | 13   | 18   | 3                | 11               | 18     |
|              | % | 37%          | 38%  | 36%  | 29%              | 65%              | 30%    |
| Total        | n | 86           | 35   | 51   | 9                | 17               | 60     |
|              | % | 100%         | 100% | 100% | 100%             | 100%             | 100%   |
| p-value:     |   | <.0001***    | N/A  |      | N/A              |                  |        |

Invalid and total responses:

|                       |   |      |      |      |      |      |      |
|-----------------------|---|------|------|------|------|------|------|
| (DON'T KNOW/NOT SURE) | n | 1    | 0    | 1    | 0    | 0    | 1    |
|                       | % | 1%   | 0%   | 1%   | 0%   | 0%   | 0%   |
| (REFUSED)             | n | 8    | 4    | 1    | 0    | 1    | 2    |
|                       | % | 8%   | 10%  | 1%   | 0%   | 5%   | 3%   |
| Total                 | n | 94   | 39   | 52   | 9    | 18   | 62   |
|                       | % | 100% | 100% | 100% | 100% | 100% | 100% |
|                       | N | 94   | 45   | 45   | 6    | 12   | 68   |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

Is the child Hispanic, Latino/a, or Spanish origin? Which one or more of the following would you say is the race of the child? Would you say: White, Black or African American, American Indian or Alaska Native, Asian or Pacific Islander?

| Race-Ethnicity of Child         |   | Total     | Sex  |      | Age   |       |        |         | Household income |                  |        |
|---------------------------------|---|-----------|------|------|-------|-------|--------|---------|------------------|------------------|--------|
|                                 |   |           | Boy  | Girl | 0 - 1 | 2 - 5 | 6 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| White only, non-Hispanic        | n | 73        | 31   | 42   | 1     | 16    | 23     | 31      | 9                | 15               | 48     |
|                                 | % | 80%       | 81%  | 80%  | 87%   | 100%  | 63%    | 99%     | 100%             | 87%              | 80%    |
| Black only, non-Hispanic        | n | 3         | 0    | 3    | 0     | 0     | 3      | 0       | 0                | 0                | 3      |
|                                 | % | 3%        | 0%   | 6%   | 0%    | 0%    | 8%     | 0%      | 0%               | 0%               | 5%     |
| Asian only, non-Hispanic        | n | 7         | 0    | 7    | 0     | 0     | 7      | 0       | 0                | 0                | 7      |
|                                 | % | 8%        | 0%   | 13%  | 0%    | 0%    | 19%    | 0%      | 0%               | 0%               | 12%    |
| Other/multiracial, non-Hispanic | n | 6         | 6    | 0    | 0     | 0     | 3      | 0       | 0                | 1                | 2      |
|                                 | % | 7%        | 16%  | 0%   | 13%   | 0%    | 7%     | 0%      | 0%               | 6%               | 3%     |
| Hispanic                        | n | 2         | 1    | 1    | 0     | 0     | 1      | 0       | 0                | 1                | 0      |
|                                 | % | 2%        | 3%   | 1%   | 0%    | 0%    | 3%     | 0%      | 0%               | 7%               | 0%     |
| <b>Total</b>                    | n | 91        | 39   | 52   | 1     | 16    | 37     | 32      | 9                | 17               | 60     |
|                                 | % | 100%      | 100% | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%             | 100%   |
| p-value:                        |   | <.0001*** | N/A  |      | N/A   |       |        |         | N/A              |                  |        |

Invalid and total responses:

|                               |   |      |      |      |      |      |      |      |      |      |      |
|-------------------------------|---|------|------|------|------|------|------|------|------|------|------|
| (Don't know/Not sure/Refused) | n | 3    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 2    |
|                               | % | 3%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 2%   | 2%   |
| <b>Total</b>                  | n | 94   | 39   | 52   | 1    | 16   | 37   | 32   | 9    | 18   | 62   |
|                               | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
|                               | N | 94   | 45   | 45   | 2    | 8    | 27   | 44   | 6    | 12   | 68   |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

Has a doctor, nurse, or other health professional EVER said that the child had asthma?

|          |   | Total     | Sex    |      | Age   |       |        |         | Household income |                  |        |
|----------|---|-----------|--------|------|-------|-------|--------|---------|------------------|------------------|--------|
|          |   |           | Boy    | Girl | 0 - 1 | 2 - 5 | 6 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| Yes      | n | 7         | 3      | 4    | 0     | 0     | 6      | 1       | 0                | 2                | 5      |
|          | % | 8%        | 7%     | 9%   | 0%    | 0%    | 15%    | 3%      | 0%               | 11%              | 8%     |
| No       | n | 85        | 36     | 47   | 1     | 16    | 32     | 30      | 9                | 15               | 57     |
|          | % | 92%       | 93%    | 91%  | 100%  | 100%  | 85%    | 97%     | 100%             | 89%              | 92%    |
| Total    | n | 92        | 39     | 52   | 1     | 16    | 37     | 31      | 9                | 17               | 62     |
|          | % | 100%      | 100%   | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%             | 100%   |
| p-value: |   | <.0001*** | 0.7722 |      | N/A   |       |        |         | N/A              |                  |        |

Invalid and total responses:

|                       |   |      |      |      |      |      |      |      |      |      |      |
|-----------------------|---|------|------|------|------|------|------|------|------|------|------|
| (DON'T KNOW/NOT SURE) | n | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 0%   | 0%   | 1%   | 0%   | 0%   | 0%   | 1%   | 0%   | 0%   | 1%   |
| (REFUSED)             | n | 2    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 2%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 2%   | 0%   |
| Total                 | n | 94   | 39   | 52   | 1    | 16   | 37   | 32   | 9    | 18   | 62   |
|                       | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| N                     |   | 94   | 45   | 45   | 2    | 8    | 27   | 44   | 6    | 12   | 68   |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

Has this child ever been diagnosed with depression?

| Child ever diagnosed with depression |   | Total     | Sex    |      | Age     |         | Household income |                  |        |
|--------------------------------------|---|-----------|--------|------|---------|---------|------------------|------------------|--------|
|                                      |   |           | Boy    | Girl | 10 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| Yes                                  | n | 2         | 1      | 1    | 0       | 2       | 1                | 1                | 0      |
|                                      | % | 4%        | 4%     | 5%   | 0%      | 6%      | 42%              | 6%               | 0%     |
| No                                   | n | 45        | 20     | 24   | 9       | 30      | 2                | 12               | 28     |
|                                      | % | 96%       | 96%    | 95%  | 100%    | 94%     | 58%              | 94%              | 100%   |
| Total                                | n | 47        | 21     | 25   | 9       | 32      | 3                | 12               | 28     |
|                                      | % | 100%      | 100%   | 100% | 100%    | 100%    | 100%             | 100%             | 100%   |
| p-value:                             |   | <.0001*** | 0.8611 |      | N/A     |         | 0.0076**         |                  |        |

Invalid and total responses:

|           |   |      |      |      |      |      |      |      |      |
|-----------|---|------|------|------|------|------|------|------|------|
| (REFUSED) | n | 2    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|           | % | 4%   | 0%   | 0%   | 0%   | 0%   | 0%   | 3%   | 0%   |
| Total     | n | 49   | 21   | 25   | 9    | 32   | 3    | 13   | 28   |
|           | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
|           | N | 65   | 29   | 32   | 8    | 44   | 4    | 8    | 46   |

Only asked about children who are at least 10 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

On a usual day, about how many minutes or hours  
does this child engage in active play?

|                     |   | Total   | Sex  |      | Household income |                  |        |
|---------------------|---|---------|------|------|------------------|------------------|--------|
|                     |   |         | Boy  | Girl | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| Active play per day | n | 7       | 1    | 7    | 5                | 0                | 2      |
|                     | % | 47%     | 9%   | 95%  | 100%             | 0%               | 22%    |
| 1 or 2 hours        | n | 2       | 2    | 0    | 0                | 0                | 2      |
|                     | % | 15%     | 26%  | 0%   | 0%               | 0%               | 23%    |
| 3 or 4 hours        | n | 6       | 6    | 0    | 0                | 0                | 6      |
|                     | % | 36%     | 65%  | 0%   | 0%               | 0%               | 56%    |
| 5 or more hours     | n | 0       | 0    | 0    | 0                | 0                | 0      |
|                     | % | 2%      | 0%   | 5%   | 0%               | 100%             | 0%     |
| Total               | n | 16      | 9    | 7    | 5                | 0                | 10     |
|                     | % | 100%    | 100% | 100% | 100%             | 100%             | 100%   |
| p-value:            |   | 0.0132* | N/A  |      | N/A              |                  |        |

Invalid and total responses:

|       |   |      |      |      |      |      |      |
|-------|---|------|------|------|------|------|------|
| Total | n | 16   | 9    | 7    | 5    | 0    | 10   |
|       | % | 100% | 100% | 100% | 100% | 100% | 100% |
|       | N | 8    | 5    | 3    | 1    | 1    | 6    |

Only asked about children who are 2 - 5 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

In an average week, on how many days does this child get a total of 60 minutes or more of exercise? It does not have to be all at once.

| Days with 60 min of exercise in a week |   | Total   | Sex     |      | Age    |         | Household income |                  |        |
|--|---|---------|---------|------|--------|---------|------------------|------------------|--------|
|  |   |         | Boy     | Girl | 6 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| 0 - 1 Days                             | n | 9       | 0       | 9    | 0      | 9       | 0                | 9                | 1      |
|  | % | 13%     | 1%      | 21%  | 0%     | 28%     | 0%               | 55%              | 2%     |
| 2 - 4 Days                             | n | 17      | 7       | 10   | 8      | 6       | 0                | 0                | 14     |
|  | % | 23%     | 26%     | 22%  | 22%    | 19%     | 1%               | 0%               | 27%    |
| 5 - 7 Days                             | n | 48      | 20      | 26   | 28     | 17      | 4                | 7                | 36     |
|  | % | 64%     | 73%     | 57%  | 78%    | 53%     | 99%              | 45%              | 71%    |
| Total                                  | n | 74      | 28      | 45   | 36     | 32      | 4                | 16               | 51     |
|  | % | 100%    | 100%    | 100% | 100%   | 100%    | 100%             | 100%             | 100%   |
| p-value:                               |   | 0.0368* | 0.0177* |      | N/A    |         | N/A              |                  |        |

Invalid and total responses:

|                       |   |      |      |      |      |      |      |      |      |
|-----------------------|---|------|------|------|------|------|------|------|------|
| (DON'T KNOW/NOT SURE) | n | 1    | 1    | 0    | 1    | 0    | 0    | 1    | 0    |
|                       | % | 2%   | 5%   | 0%   | 3%   | 0%   | 0%   | 7%   | 0%   |
| (REFUSED)             | n | 2    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 2%   | 0%   | 0%   | 0%   | 0%   | 0%   | 2%   | 0%   |
| Total                 | n | 77   | 29   | 45   | 37   | 32   | 4    | 17   | 51   |
|                       | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| N                     |   | 84   | 38   | 42   | 27   | 44   | 5    | 11   | 60   |

Only asked about children who are at least 6 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

In an average school week, how many days does this child walk or bike to school?

| Child walks or bikes to school |   | Total     | Sex    |      | Age       |         | Household income |                  |        |
|--------------------------------|---|-----------|--------|------|-----------|---------|------------------|------------------|--------|
|                                |   |           | Boy    | Girl | 6 - 11    | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| No                             | n | 64        | 26     | 37   | 28        | 31      | 4                | 13               | 43     |
|                                | % | 85%       | 92%    | 83%  | 75%       | 97%     | 100%             | 75%              | 85%    |
| Yes, one or more days          | n | 12        | 2      | 8    | 9         | 1       | 0                | 4                | 7      |
|                                | % | 15%       | 8%     | 17%  | 25%       | 3%      | 0%               | 25%              | 15%    |
| Total                          | n | 76        | 29     | 45   | 37        | 32      | 4                | 17               | 51     |
|                                | % | 100%      | 100%   | 100% | 100%      | 100%    | 100%             | 100%             | 100%   |
| p-value:                       |   | <.0001*** | 0.3498 |      | <.0001*** |         | N/A              |                  |        |

Invalid and total responses:

|                       |   |      |      |      |      |      |      |      |      |
|-----------------------|---|------|------|------|------|------|------|------|------|
| (DON'T KNOW/NOT SURE) | n | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 0%   | 1%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| (REFUSED)             | n | 2    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 2%   | 0%   | 0%   | 0%   | 0%   | 0%   | 2%   | 0%   |
| Total                 | n | 77   | 29   | 45   | 37   | 32   | 4    | 17   | 51   |
|                       | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| N                     |   | 84   | 38   | 42   | 27   | 44   | 5    | 11   | 60   |

Only asked about children who are at least 6 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1



## Chelsea/Dexter

On a usual day, about how much total time does this child watch TV, watch videos, play videogames, or use a computer outside of school?

| Child screen time per day    |   | Total     | Sex    |      | Age   |       |        |         | Household income |                  |        |
|------------------------------|---|-----------|--------|------|-------|-------|--------|---------|------------------|------------------|--------|
|                              |   |           | Boy    | Girl | 0 - 1 | 2 - 5 | 6 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| 1 hour or less               | n | 60        | 23     | 37   | 1     | 10    | 30     | 18      | 2                | 15               | 43     |
|                              | % | 65%       | 59%    | 70%  | 100%  | 62%   | 80%    | 57%     | 23%              | 85%              | 69%    |
| Over 1 - 2 hours             | n | 23        | 8      | 13   | 0     | 6     | 6      | 9       | 6                | 3                | 14     |
|                              | % | 25%       | 21%    | 26%  | 0%    | 38%   | 16%    | 29%     | 68%              | 15%              | 23%    |
| Over 2 - 3 hours             | n | 7         | 5      | 2    | 0     | 0     | 0      | 4       | 1                | 0                | 3      |
|                              | % | 7%        | 13%    | 3%   | 0%    | 0%    | 0%     | 11%     | 9%               | 0%               | 5%     |
| Over 3 hours                 | n | 3         | 2      | 0    | 0     | 0     | 2      | 1       | 0                | 0                | 2      |
|                              | % | 3%        | 6%     | 1%   | 0%    | 0%    | 4%     | 3%      | 0%               | 0%               | 4%     |
| Total                        | n | 93        | 39     | 52   | 1     | 16    | 37     | 32      | 9                | 17               | 62     |
|                              | % | 100%      | 100%   | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%             | 100%   |
| p-value:                     |   | <.0001*** | 0.1230 |      | N/A   |       |        |         | N/A              |                  |        |
| Invalid and total responses: |   |           |        |      |       |       |        |         |                  |                  |        |
| (REFUSED)                    | n | 2         | 0      | 0    | 0     | 0     | 0      | 0       | 0                | 0                | 0      |
|                              | % | 2%        | 0%     | 0%   | 0%    | 0%    | 0%     | 0%      | 0%               | 2%               | 0%     |
| Total                        | n | 94        | 39     | 52   | 1     | 16    | 37     | 32      | 9                | 18               | 62     |
|                              | % | 100%      | 100%   | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%             | 100%   |
|                              | N | 94        | 45     | 45   | 2     | 8     | 27     | 44      | 6                | 12               | 68     |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

What I say will have little influence on whether or not this child uses drugs.

| Influence regarding child drug use |   | Total     | Sex    |      | Age     |         | Household income |                  |        |
|------------------------------------|---|-----------|--------|------|---------|---------|------------------|------------------|--------|
|                                    |   |           | Boy    | Girl | 10 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| Disagree or strongly disagree      | n | 40        | 18     | 22   | 7       | 29      | 2                | 11               | 24     |
|                                    | % | 86%       | 86%    | 92%  | 83%     | 90%     | 58%              | 91%              | 86%    |
| Agree or strongly agree            | n | 6         | 3      | 2    | 1       | 3       | 1                | 1                | 4      |
|                                    | % | 14%       | 14%    | 8%   | 17%     | 10%     | 42%              | 9%               | 14%    |
| Total                              | n | 47        | 21     | 24   | 9       | 32      | 3                | 12               | 28     |
|                                    | % | 100%      | 100%   | 100% | 100%    | 100%    | 100%             | 100%             | 100%   |
| p-value:                           |   | <.0001*** | 0.5352 |      | 0.6268  |         | 0.4952           |                  |        |

Invalid and total responses:

|                       |   |      |      |      |      |      |      |      |      |
|-----------------------|---|------|------|------|------|------|------|------|------|
| (DON'T KNOW/NOT SURE) | n | 1    | 0    | 1    | 0    | 0    | 0    | 0    | 1    |
|                       | % | 2%   | 0%   | 3%   | 0%   | 0%   | 0%   | 0%   | 2%   |
| (REFUSED)             | n | 2    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 4%   | 0%   | 0%   | 0%   | 0%   | 0%   | 3%   | 0%   |
| Total                 | n | 49   | 21   | 25   | 9    | 32   | 3    | 13   | 28   |
|                       | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
|                       | N | 65   | 29   | 32   | 8    | 44   | 4    | 8    | 46   |

Only asked about children who are at least 10 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

In total, about how many servings of fruits and vegetables does this child have, on average, each day?

| Child: Servings of fruits and vegetables per day |   | Total   | Sex    |      | Age   |       |        |         | Household income |                  |        |
|--|---|---------|--------|------|-------|-------|--------|---------|------------------|------------------|--------|
|  |   |         | Boy    | Girl | 0 - 1 | 2 - 5 | 6 - 11 | 12 - 17 | <\$35K           | \$35K-<br><\$75K | \$75K+ |
| 0-1 servings                                     | n | 12      | 3      | 9    | 0     | 0     | 2      | 10      | 0                | 9                | 3      |
|  | % | 13%     | 8%     | 18%  | 13%   | 0%    | 4%     | 33%     | 0%               | 51%              | 5%     |
| 2-4 servings                                     | n | 59      | 25     | 32   | 1     | 8     | 26     | 17      | 4                | 6                | 45     |
|  | % | 64%     | 66%    | 62%  | 87%   | 53%   | 71%    | 53%     | 44%              | 35%              | 73%    |
| 5 or more servings                               | n | 21      | 10     | 11   | 0     | 7     | 9      | 4       | 5                | 2                | 13     |
|  | % | 23%     | 26%    | 21%  | 0%    | 47%   | 25%    | 14%     | 56%              | 14%              | 22%    |
| Total  | n | 92      | 38     | 52   | 1     | 16    | 37     | 31      | 9                | 17               | 62     |
|  | % | 100%    | 100%   | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%             | 100%   |
| p-value:   |   | 0.0119* | 0.6544 |      | N/A   |       |        |         | <.0001***        |                  |        |

Invalid and total responses:

|                       |   |      |      |      |      |      |      |      |      |      |      |
|-----------------------|---|------|------|------|------|------|------|------|------|------|------|
| (DON'T KNOW/NOT SURE) | n | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 0%   | 1%   | 0%   | 0%   | 0%   | 0%   | 1%   | 0%   | 2%   | 0%   |
| (REFUSED)             | n | 2    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|                       | % | 2%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 2%   | 0%   |
| Total                 | n | 94   | 39   | 52   | 1    | 16   | 37   | 32   | 9    | 18   | 62   |
|                       | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
|                       | N | 94   | 45   | 45   | 2    | 8    | 27   | 44   | 6    | 12   | 68   |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

Yesterday, how many cans or glasses of regular soda (such as cola, lemon-lime), sweetened Carbonated beverages, or sweetened noncarbonated beverages (such as Gatorade, Snapple, energy drinks) did this child drink?

| Child: Servings of sweetened beverages per day |   | Total     | Sex    |      | Age   |       |        |         | Household income |               |        |
|--|---|-----------|--------|------|-------|-------|--------|---------|------------------|---------------|--------|
|  |   |           | Boy    | Girl | 0 - 1 | 2 - 5 | 6 - 11 | 12 - 17 | <\$35K           | \$35K- <\$75K | \$75K+ |
| None   | n | 73        | 29     | 42   | 1     | 16    | 26     | 23      | 6                | 12            | 51     |
|  | % | 79%       | 77%    | 81%  | 100%  | 100%  | 70%    | 75%     | 64%              | 72%           | 83%    |
| 1 serving                                      | n | 13        | 7      | 6    | 0     | 0     | 8      | 5       | 1                | 3             | 9      |
|  | % | 14%       | 19%    | 11%  | 0%    | 0%    | 21%    | 17%     | 12%              | 15%           | 15%    |
| 2 or more servings                             | n | 6         | 2      | 4    | 0     | 0     | 3      | 2       | 2                | 2             | 2      |
|  | % | 6%        | 4%     | 8%   | 0%    | 0%    | 9%     | 8%      | 24%              | 13%           | 2%     |
| Total  | n | 92        | 38     | 52   | 1     | 16    | 37     | 31      | 9                | 16            | 62     |
|  | % | 100%      | 100%   | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%          | 100%   |
| p-value:                                       |   | <.0001*** | 0.5238 |      | N/A   |       |        |         | 0.5396           |               |        |
| Invalid and total responses:                   |   |           |        |      |       |       |        |         |                  |               |        |
| (DON'T KNOW/NOT SURE)                          | n | 1         | 1      | 0    | 0     | 0     | 0      | 1       | 0                | 1             | 0      |
|  | % | 1%        | 2%     | 0%   | 0%    | 0%    | 0%     | 3%      | 0%               | 4%            | 0%     |
| (REFUSED)                                      | n | 2         | 0      | 0    | 0     | 0     | 0      | 0       | 0                | 0             | 0      |
|  | % | 2%        | 0%     | 0%   | 0%    | 0%    | 0%     | 0%      | 0%               | 2%            | 0%     |
| Total  | n | 94        | 39     | 52   | 1     | 16    | 37     | 32      | 9                | 18            | 62     |
|  | % | 100%      | 100%   | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%          | 100%   |
|  | N | 94        | 45     | 45   | 2     | 8     | 27     | 44      | 6                | 12            | 68     |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1

## Chelsea/Dexter

During the past week, on how many days did family members in your household eat a meal together?

| Days meals eaten together in household during the past week |   | Total   | Sex     |      | Age   |       |        |         | Household income |        |        |
|---|---|---------|---------|------|-------|-------|--------|---------|------------------|--------|--------|
|   |   |         | Boy     | Girl | 0 - 1 | 2 - 5 | 6 - 11 | 12 - 17 | <\$35K           | <\$75K | \$75K+ |
| 0-1 Days  | n | 13      | 1       | 11   | 0     | 0     | 3      | 10      | 0                | 9      | 4      |
|   | % | 14%     | 3%      | 22%  | 0%    | 0%    | 8%     | 31%     | 0%               | 50%    | 6%     |
| 2-4 Days  | n | 25      | 8       | 16   | 0     | 0     | 9      | 10      | 3                | 3      | 16     |
|   | % | 27%     | 19%     | 30%  | 0%    | 2%    | 25%    | 33%     | 29%              | 16%    | 26%    |
| 5-7 Days  | n | 55      | 30      | 25   | 1     | 16    | 25     | 12      | 7                | 6      | 42     |
|   | % | 60%     | 78%     | 48%  | 100%  | 98%   | 67%    | 36%     | 71%              | 34%    | 68%    |
| Total   | n | 93      | 39      | 52   | 1     | 16    | 37     | 32      | 9                | 17     | 62     |
|   | % | 100%    | 100%    | 100% | 100%  | 100%  | 100%   | 100%    | 100%             | 100%   | 100%   |
| p-value:  |   | 0.0227* | 0.0350* |      | N/A   |       |        |         | N/A              |        |        |

Invalid and total responses:

|           |   |      |      |      |      |      |      |      |      |      |      |
|-----------|---|------|------|------|------|------|------|------|------|------|------|
| (REFUSED) | n | 2    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
|           | % | 2%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 2%   | 0%   |
| Total     | n | 94   | 39   | 52   | 1    | 16   | 37   | 32   | 9    | 18   | 62   |
|           | % | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
|           | N | 94   | 45   | 45   | 2    | 8    | 27   | 44   | 6    | 12   | 68   |

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '\*\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 1